

WHAT IS CLAIMED IS:

- format
JP 6/28/99 [
1. A beverage container holder, comprising:
a first structure defining a rectangular opening, and
a plurality of resilient fingers coupled to said first structure and extending inward to said rectangular opening.
 - format
JP 6/28/99 [
 2. A beverage container holder according to claim 1, further comprising:
a second structure defining a hook member, said second structure being coupled to said first structure and extending above said rectangular opening.
 - format
JP 6/28/99 [
 3. A beverage container holder according to claim 2, wherein:
said first structure defines a rectangular basket.
 - format
JP 6/28/99 [
 4. A beverage container holder according to claim 3, wherein:
said hook member has a generally U-shape.
 - format
JP 6/28/99 [
 5. A beverage container holder according to claim 4, wherein:
said first structure, said fingers, and said second structure are formed as a single unitary member.

Format
6/28/99
6. A beverage container holder according to claim 5, wherein:
said single unitary member is plastic.

Format
6/28/99
7. A beverage container holder according to claim 1, wherein:
each of said resilient fingers assumes a generally V-shaped
configuration when viewed in a vertical plane.

Format
6/28/99
8. A beverage container holder according to claim 7, further
comprising:
a second structure defining a hook member, said second
structure being coupled to said first structure and extending above
said rectangular opening.

Format
6/28/99
9. A beverage container holder according to claim 8, wherein:
said first structure defines a rectangular basket.

10. A beverage container holder according to claim 9, wherein:
said hook member has a generally U-shape.

Format
6/28/99
11. A beverage container holder according to claim 10, wherein:
said first structure, said fingers, and said second structure
are formed as a single unitary member.

12. A beverage container holder according to claim 11, wherein:
said single unitary member is plastic.

13. A beverage container holder according to claim 1, further
comprising:

a supporting member rotatably coupled to said first structure
and being rotatable into a position located below said rectangular
opening.

14. A beverage container holder according to claim 13, further
comprising:

spring means for biasing said supporting member to said
position located below said rectangular opening.

15. A beverage container holder according to claim 13, wherein:
said first structure defines a rectangular tray having a front
flange and a rear flange.

16. A beverage container holder according to claim 13, wherein:
said first structure defines a rectangular tray,
said rectangular opening comprises two rectangular openings,

and

said plurality of resilient fingers extend inward to each of
said rectangular openings.

17. A beverage container holder according to claim 13, wherein:
said first structure defines a rectangular tray, and
said fingers are spring clips.

0036274-071630

add
as